




Thats maintains pH at
max



Hydrogen & pH



Hydrogen




>3-4 pH

Maintains pH at
max

Manpro Lansoprazole 30mg




Manpro highest bioavailability confirms quick pain relief

"PPIs with a high bioavailability after the first dose are able to inhibit a greater number of active proton pumps.¹




1. The American Journal of Medicine Vol. 117 (5A)

Manpro maintains 24-Hours optimal Intra gastric pH

Lansoprazole () maintained pH above thresholds for the optimal times, but Omeprazole did not (For Lansoprazole () 20 hr and for Omeprazole 15 hr above 3.0, for Lansoprazole () 17hr and for Omeprazole 12 hr above 4.0).²

2: Am J Health Syst Pharm. 1999 Dec 1;56(23 Suppl 4):S18-21.




**ONCE
a day**

Maintains pH at
max

Manpro Lansoprazole 30mg

Manpro provides high healing rates



3: Dig Dis Sci 1995 Mar, 40(3): 590-97,

4: Gut 1993; 34: 1458-1462


5: Aliment Pharmacol Ther. 1994 Apr;8(2): 215-20

Manpro most potent H. Pylori eradication

Most Potent H.pylori Eradication

"Around 90% of duodenal ulcer patients and 70% of gastric ulcer patients are infected with H.pylori."⁶

upto **96%**
H.pylori Eradication
(based on triple therapy regimen with 2 Antibiotics)⁷



6. Davidson's Principles & Practice of Medicines 21st Edition 2010: 871.

7. Journal of Clinical Gastroenterology

**ONCE
a day**

Maintains pH at
max



Manpro

Lansoprazole 30mg

🌀 **Manpro highest bioavailability confirms quick pain relief**

🌀 **Manpro maintains 24-Hours optimal Intra gastric pH**

🌀 **Manpro provides high healing rates**

🌀 **Manpro most potent H. Pylori eradication**

Dosage and Administration:

For Adults:

Duodenal Ulcer

:30mg (1 Manpro Capsule) daily for 4 weeks before breakfast.

Gastric Ulcer

:30mg (1 Manpro Capsule) daily for 4-8 weeks before breakfast.

Symptomatic GERD

and Erosive Esophagitis

:30mg (1 Manpro Capsule) daily for 4-8 weeks before breakfast.

Zolinger-Ellison Syndrome

:The recommended adult oral starting dose is 60mg once a day.

Dosage should be adjusted for individual patient need and should continue for as long as clinically indicated. Daily dosage of greater than 120mg should be administered in divided doses.



A Product of

Aeon Pharma

Suit 7, Al-Syed Arcade, Rashid Minhas Road,
Block-5 Gulshan-e Iqbal, Karachi-Pakistan.
Tel: +92-021-34989138 Web: www.aeonpharma.com



**ONCE
a day**

021-32763815 MANPRO/ZR/F/Q 1/2016